Refine Search


Search Results -

Terms	Documents	
L56 and L63	51	

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:











Search History

DATE: Friday, September 02, 2005 Printable Copy Create Case

side by	Query	<u>Hit</u> Count	Set Name result
side DR-	-DCDD HCDT HCOC EDAD IDAD DWDI TODO. DI HD-VEG. OD- OD		set
	=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
	L56 and L63	51	<u>L64</u>
<u>L63</u>	(ejb or bean) and limited near resources	124	<u>L63</u>
<u>L62</u>	@pd<2000720 and L61	0	<u>L62</u>
<u>L61</u>	L17 and L56	158	<u>L61</u>
<u>L60</u>	L56 and L59	14	<u>L60</u>
<u>L59</u>	proxy adj bean	19	<u>L59</u>
<u>L58</u>	transparen\$2 near bean with client	0	<u>L58</u>
<u>L57</u>	transparen\$2 near client with bean	. 5	<u>L57</u>
<u>L56</u>	L33 or L34 or L35 or L55	63363	<u>L56</u>
<u>L55</u>	(717/101 717/102 717/103 717/104 717/105 717/106 717/107 717/108 717/109 717/110 717/111 717/112 717/113 717/114 717/115 717/116 717/117 717/118 717/119).ccls.	2623	<u>L55</u>
<u>L54</u>	((entity adj bean) with (("no" or without) near (data or attribute)))	0	<u>L54</u>

<u>L53</u>	((entity adj bean) with (("no" or without) adj (data or attribute)))	0	<u>L53</u>
<u>L52</u>	((ejb or bean) near transparen\$2)	16	<u>L52</u>
<u>L51</u>	(((invocation or invok\$3) near bean) with (key or identifier))	3	<u>L51</u>
<u>L50</u>	(("does adj not") near Map\$4)	0	<u>L50</u>
<u>L49</u>	((ejb or bean) with ("does adj not") near Map\$4)	0	<u>L49</u>
<u>L48</u>	(execut\$3 near (business or functional) near (method or logic) with functional)	9	<u>L48</u>
<u>L47</u>	bean and L46	27	<u>L47</u>
<u>L46</u>	trouble near ticket	686	<u>L46</u>
<u>L45</u>	((bean or ejb) with map\$4 near (row or record))	1	<u>L45</u>
<u>L44</u>	((bean or ejb) near map\$4 near (row or record))	0	<u>L44</u>
<u>L43</u>	(("does adj not") near map\$4 near(row or record))	0	<u>L43</u>
<u>L42</u>	(("does adj not") near map\$4 (row or record))	1726661	<u>L42</u>
<u>L41</u>	(no adj data) near (ejb or bean)	3	<u>L41</u>
<u>L40</u>	(without adj data) near (ejb or bean)	0	<u>L40</u>
<u>L39</u>	functional near (ejb or bean)	26	L39
<u>L38</u>	functional near (jb or bean)	26	L38
<u>L37</u>	((updat\$3 or delet\$3) near account with (business or functional) near (method or logic))	1	<u>L37</u>
<u>L36</u>	((updat\$3 or delet\$3) near account with functional)	1	<u>L36</u>
<u>L35</u>	(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/208 709/209 709/210 709/211 709/212 709/213 709/214 709/215 709/216 709/217 709/218 709/219 709/220 709/221 709/222 709/223 709/224 709/225 709/226 709/227 709/228 709/229 709/230 709/231 709/232 709/233 709/234 709/235 709/236 709/237 709/238 709/239 709/240 709/241 709/242 709/243 709/244 709/245 709/246 709/247 709/248 709/249 709/250).ccls.	37649	<u>L35</u>
<u>L34</u>	(719/315 719/316 719/328).ccls.	2150	<u>L34</u>
<u>L33</u>	(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).ccls.	25258	<u>L33</u>
<u>L32</u>	business adj (method or function) near code	11	<u>L32</u>
<u>L31</u>	L28 and L29	18	<u>L31</u>
<u>L30</u>	L28 and L29	18	<u>L30</u>
<u>L29</u>	return\$5 near (pointer or handle or reference)	14751	<u>L29</u>
<u>L28</u>	(ejb or bean) and limited adj resources	91	<u>L28</u>
<u>L27</u>	bean with limited adj resources	0	<u>L27</u>
<u>L26</u>	@pd<2000720 and L25	0	<u>L26</u>
<u>L25</u>	L23 and L24	114	<u>L25</u>
<u>L24</u>	bean or ejb	118888	<u>L24</u>
<u>L23</u>	((invocat\$3 or invok\$4) near direct\$2)	1093	<u>L23</u>
<u>L22</u>	return\$5 near (pointer or handle or reference) with functional	23	<u>L22</u>
<u>L21</u>	6629128.pn.	2	<u>L21</u>
<u>L20</u>	return\$5 near (pointer or handle or reference) with bean	9	<u>L20</u>
<u>L19</u>	model\$5 near business adj function	10	<u>L19</u>

<u>L18</u>	bean and L17	25	<u>L18</u>
<u>L17</u>	map\$4 near ((function or procedure) and object)	558	<u>L17</u>
<u>L16</u>	map\$4 near ((function or procedure) and object) with resources	0	<u>L16</u>
<u>L15</u>	(ejb or bean) and L14	12	<u>L15</u>
<u>L14</u>	L12 and L13	72	<u>L14</u>
<u>L13</u>	resources near availabl\$4	19109	<u>L13</u>
<u>L12</u>	L7 and L11	693	<u>L12</u>
<u>L11</u>	function\$2 near (ejb or bean or object)	10902	<u>L11</u>
<u>L10</u>	L7 and L9	77	<u>L10</u>
<u>L9</u>	(((return near handler) or pointer or reference) with (bean or ejb))	2054	<u>L9</u>
<u>L8</u>	L3 and L7	51	<u>L8</u>
<u>L7</u>	L4 or L5 or L6	21628	<u>L7</u>
<u>L6</u>	(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z).ccls.	20958	<u>`L6</u>
<u>L5</u>	(717/101 717/102 717/103).ccls.	356	<u>L5</u>
<u>L4</u>	(719/330).ccls.	366	<u>L4</u>
<u>L3</u>	((ejb or bean) and (available near resources))	529	<u>L3</u>
<u>L2</u>	((ejb or bean) with resources)	401	<u>L2</u>
<u>L1</u>	((number near bean) with resources)	2	L1

END OF SEARCH HISTORY